

Index

- $(u, v) \in R_f$, 191
- $\langle \mathcal{G} \cup C_\omega(S) \rangle$, 715
- C -embedded, 602
 - a sufficient condition, 576
- $C(S)$, 135
- $C[a, b]$, 663
- $C_\alpha(S)$, 506
- C^* -embedded
 - $\text{cl}_{\beta S} T = \beta T$, 524
 - \mathbb{N} in \mathbb{R} , 500
 - characterization, 518
 - closed subset of \mathbb{R} , 503
 - closed subset of a metric, 503
 - cpct subset of \mathbb{R} , 499
 - dense subset, 518
 - implies C -embedded, 574
- C^* -embedded subset, 495
 - \mathbb{N} in \mathbb{R} , 500
 - compact subset are, 502
 - compact subsets in \mathbb{R} , 499
 - Urysohn's extension theorem, 500
- C^* -embedded subsets, 250
- $C^*(S)$, 267
- $C_\alpha(S)$, 712
- $C_\gamma(S)$, 504
- $C_\omega(S)$, 505
- $C_v(S) = C(S)$, 595
- F -space, 783
 - C^* -embedded, 788
 - $\beta S \setminus S$ is, 791
 - $\beta \mathbb{Q}$ is not, 791
 - \mathbb{Q} is not, 791
 - basically disconnected, 479
 - characterization, 784, 787
 - characterizations, 790
 - conv. sequence has cst tail-end, 794
 - dense, 789
 - subspace, 789
- $F(\mathbb{N}, S)$ is separable, 656
- F_σ
 - \mathbb{Q} is, 47
- F_σ , 47
 - examples, 47
 - properties, 48
- G_δ
 - \mathbb{Q} is not, 779
- G_δ -topology, 86
- G_δ , 47
 - examples, 47
 - properties, 48
- L_p -norm, 9, 663
- P -points, 272
- P -space, 272
 - pseudocompact, 583
 - zero-dimensional, 273
- $S \cup^* S(f)$, 544
- $S \cup_f S(f)$, 544
- S -open, 44
- $S \setminus F$, 40
- $S \setminus A$, 37
- S^J , 144
- S^n
 - homeomorphic to \mathbb{R}^n , 514
- S^I , 144
- S_x , 192
- T_0
 - non- T_0 example, 210

- T_0 -space, 209
 T_1 -space, 211
 a T_0 -space not T_1 , 211
 carries over products, 212
 decomposition space, 213
 hereditary, 212
 singleton sets are closed, 212
 transmitted by closed functions,
 212
 T_2 -space, 214
 T_3 -space, 220
 T_4 , not T_3 , 227
 T_4 -space, 227
 $T_{2\frac{1}{2}}$, 219
 $T_{3\frac{1}{2}}$ -space, 242, 243
 $U[T]$, 689
 $Z(f)$, 247
 $Z[S]$, 253
 $[0, \omega_1)$
 is pseudocompact, 399
 $[0, \omega_1]$ is compact, 366
 $\alpha S \equiv S \cup^* S(e_{\mathcal{F}})$, 556
 $\alpha S \prec \gamma S$, 494
 $\alpha S \preceq \gamma S$, 494
 βS
 uniqueness, 502
 $\beta\mathbb{N}$ is Freudenthal, 646
 $\beta\mathbb{N}$
 cardinality = 2^c , 528
 infinite closed subs., 527
 is an F -space, 796
 is totally disconnected, 526
 is zero-dimensional, 526
 not metrizable, 526
 $\beta\mathbb{N}$ cardinality, 522
 $\beta\mathbb{N}$ not seq. compact, 528
 $\beta\mathbb{N} \setminus \mathbb{N}$
 $[a, b]$ is a cts image of, 569
 $\beta\mathbb{R}$ is a cts image of, 570
 is an F -space, 794
 property, 527
 $\beta\mathbb{Q}$
 cardinality = 2^c , 528
 is totally disconnected, 530
 $\beta\mathbb{Q} \setminus \mathbb{Q}$
 dense in $\beta\mathbb{Q}$, 529
 is not an F -space, 783
 $\beta\mathbb{R}$
 cardinality = 2^c , 528
 union of $\beta\mathbb{N}$'s, 559
 $\beta\mathbb{R} \setminus \mathbb{R}$
 cardinality = 2^c , 529
 copies of $\beta\mathbb{N}$, 560
 is an F -space, 794
 is not connected, 499
 $\beta\mathbb{R}_{\text{Sorg}}$
 is totally disconnected, 530
 $\text{cl}_{\beta S} Z(f) = Z(f^\beta)$, 518
 $\text{cl}_{\beta\mathbb{R}} \mathbb{Q}$ vs $\beta\mathbb{R}$, 525
 ℓ_p , 648
 ℓ_p -space, 649
 is Lindelöf, 657
 is normal, 657
 is sec. ctble, 657
 is separable, 657
 not compact, 657
 not seq. compact, 657
 ℓ_∞ -norm, 660
 \equiv , 492
 \mathbb{J}
 is not loc. cpct, 413
 is realcompact, 606
 \mathbb{N}
 number of finite subsets, 392
 \mathbb{N} , # of finite subsets of, 157, 392
 \mathcal{F} , 323
 $\mathcal{F} \rightarrow x$, 314
 \mathcal{F}^* , 312, 351
 $\mathcal{P}(S)$, 39
 $\mathcal{R}o(S)$, 108
 $\mathcal{R}o(S)$, 745
 \mathbb{N}
 has outgrowth $\beta\mathbb{R}$, 570
 is C^* -emb'd in \mathbb{R} , 503

- \mathbb{N} C^* -embedded in \mathbb{R} , 500
- ωS , 509, 712
- $\omega\mathbb{R}$, 592
- ω_1 , 105
 - cannot be reached by a seq, 106
 - dense in $\omega_1 + 1$, 106
- $\omega_f S$, 717
- ϕS , 637
- $\pi_{\beta \rightarrow \alpha}$, 499
- $\pi_{\gamma \rightarrow \alpha}$, 494, 712
- \preceq , 494, 711
- ψ -space, 110
 - \mathcal{M} is uncountable, 184
 - every subset is G_δ , 114
 - is completely regular, 422
 - is first countable, 114
 - is locally compact., 421
 - is not normal, 274
 - is pseudocompact, 405
 - is separable, 114
 - is zero-dimensional, 422
 - no c'tbly inf zero-sets in \mathcal{M} , 613
 - not countably compact, 405
- \mathbb{Q}
 - is Lindelöf, 373
 - is not C^* -emb'd in \mathbb{R} , 503
 - is realcompact, 606
 - is second countable, 373
 - is totally disconnected, 456
 - is zero-dimensional, 109
 - Lindelöf zero dim., 479
 - not locally compact, 413
- \mathbb{Q} not a G_δ , 779
- $\mathbb{R}^{\mathbb{N}}$, 144
- $\mathbb{R}^{\mathbb{R}}$, 144
- σ -compact, 419
 - iff realcompact for l.c. sp., 606
 - vs Lindelöf, 419
- σ -locally finite, 435
 - G_δ , 725
- σ -locally finite subcover, 436
- σ -ring, 49
- τ_B extends τ over B , 46
- τ_I , 67
- τ_d , 39
- vS , 594
- $v_f S$, 594
- \vee, \wedge , 135
- \mathbb{Z}^+ , 170
- $a(\mathcal{F})$, 314
- f pulls back open sets to open sets, 121
- $f[A]$, 118
- f^{-1} , 118
- f^\leftarrow , 118
- $f^\leftarrow[B]$, 118
- $f^{\beta(\omega)}$, 592
- f^\leftarrow , 118
- $f^\leftarrow[U]$, 28
- f^v , 595
- f_+ , 592
- g -saturated, 195
- n -sphere
 - homeomorphic to \mathbb{R}^n , 514
- p -norm, 8
- $uRfv$, 191
- z -filter, 350
 - base, 350
 - fixed, 354
 - free, 354
 - properties, 352
- z -ultrafilter
 - every z -filter is contained in, 353
 - real, 596
- z -ultrafilters, 733
 - in βS , 517
- 1-norm, 7
- 2-piadic, 21
- accumulation point, 282
- adherence, 313
- agree, two functions, 133
- algebra $C(S)$, 134
- algebraic subring, 639
- atom, 765

- Axiom of choice, 145
- Baire category, 777
 - application, 779
 - application two, 779
 - open-hereditary, 780
 - theorem one, 777
 - theorem two, 778
- Baire space, 772
 - \mathbb{Q} is not, 781
 - characterization, 774
 - lemma, 776
- Banach space, 13
- base
 - zero-sets as base, 254
- base for a topology, 81
- base for closed sets, 82, 84
- base property, 85
- base property for closed sets, 85
- basic neighborhood, 80
- basically disconnected, 480
 - is an F -space, 788
 - P -space, 483
- basis, 82
- $\text{bd}_S A$, 70
- Bolzano-Weierstrass property, 362
- Bolzano-Weierstrass theorem, 362
- Boolean algebra, 752, 753
 - φ properties, 760
 - complete, 753
 - filter, 756
 - isomorphism, 759
 - topological representation, 769
 - ultrafilter, 756
 - ultrafilter characterization, 757
- Boolean homomorphism, 758
- Borel sets, 50
 - properties, 50
- boundary of a set, 70
- bounded in \mathbb{R}^n , 346
- box topology, 149
 - vs uniform topology, 152
- Brouwer's fixed point, 452
- Brouwer's fixed point theorem, 452
- BWP, 362
- BWT, 362
- C -embedded
 - closed subsets of \mathbb{R} , 576
 - property, 579, 581
- C -embedded subsets, 574
 - implies C^* -embedded, 574
- Cantor set, 172
 - graphic construction, 173
 - is compact, 341
 - is metrizable, 177
 - is perfect, 178
 - is totally disconnected, 473
 - topological defn, 177
- Cartesian product, 143
 - factor, 144
 - projection map, 145
 - set theoretic properties, 146
- Cauchy sequence, 12, 23
 - is not a topological property, 128
- Cauchy-Schwarz inequality, 3
- clopen, 43
- closed function, 124
- closed set axioms, 42
- closed subset, 40
 - basic properties, 41
- closed subsets, 24
- closure, 56
 - properties, 56, 58
- closure viewed as an operator, 60
- cluster point, 57
- coarser topology, 39
- cocountable topology on \mathbb{R}^2 , 63
- cofinal, 106
 - disjoint closed subsets, 107
- cofinite topology, 42
 - not Hausdorff, 214
- collapse, 146
- compact, 338
 - σ , 419
 - in metric space, 383

- maximum value theorem, 346
- are Lindelöf, 372
- characterization, 355
- closed and bounded subsets of \mathbb{R}^n , 346
- continuous image, 341
- countably, 358, 362
- in normed vector space, 15
- non-Hausdorff, 344
- one-to-one continuous image of, 344
- products of compact, 344
- realcompact and pseudocompact, 603
- subspaces, 341
- with T^2 implies normal, 342
- compact function, 618
- compact metric
 - vs complete metric, 387
- compactification, 490
 - cardinalities, 528
 - equivalent, 492
 - induced by a non-singular function, 543
 - induced by a singular function, 539
 - minimal, 718
 - one-point, 509
 - partial ordering, 504
 - partial ordering of family of, 494, 711
 - singular, 539
 - Stone-Čech, 491
 - extends, 495
 - maximal, 498
 - uniqueness, 502
 - subalgebra of $C^*(S)$, 506
 - two-point compactification, 549
- compactness characterizations, 339
- comparable, 494
- complemented lattice, 752
- complete, 12
 - $C(S)$, 13
 - \mathbb{R} , 13
 - Boolean algebra, 753
 - complete lattice, 742
 - complete metric space, 24
 - completely Hausdorff, 219
 - completely normal, 264
 - characterization, 265
 - completely reg
 - sep ctbles disj coz, 256
 - completely regular, 242
 - $Z[S]$ as base \Rightarrow , 254
 - carry over on products, 245
 - characterization, 267
 - metrizable spaces, 244
 - subspace is completely regular, 245
 - characterization, 349
 - closed base of zero-sets implies, 254
 - if loc. cpct + T_2 , 418
 - zero-sets are base for closed sets, 253
 - completely separated
 - disjoint compact sets, 502
 - if and only if, 241
 - completely separated in S , 241
 - completely separated sets (redefined), 249, 250
 - completion of a metric space, 673
 - Component
 - in a compact set, 475
 - component, 453
 - pathwise, 470
 - prod. of components is a, 457
 - components
 - are closed, 455
 - connected
 - not locally connected, 459
 - connected components, 453
 - prod. of components is a, 457
 - connected space, 447
 - closure of, 450

- continuous image, 448
 - products, 451
 - unions, 450
 - dense subset, 450
- continuity, sequential, 29
- continuity, topological, 29
- continuous
 - on \mathbb{Q} , 782
- continuous function, 28, 121
 - characterizations, 122
 - composition, 123
 - iff f pulls back closed sets, 122
 - on a set iff at every point, 122
 - restriction to a subset, 123
- countability properties, 96
- countable intersection property, 373
- countably compact, 358, 362
 - $[0, \omega_1)$ is, 366
 - closed subsets of, 362
 - every compact is, 358
 - implies pseudocompact, 368, 369
 - in second countable spaces., 367
 - products, 363
 - characterizations, 359
 - continuous image of, 363
 - iff ctble FIP impl. non- \emptyset inters., 359
 - iff every ctble cl. set is compact, 359
 - is pseudocompact, 398
 - metric sp. is compact, 367
 - metric sp. is separable, 367
 - not compact, 366
 - not seq. compact, 384
- coz, 247
- coz $[S]$, 253
- cozero-set, 247
 - forms a base for open sets, 254
- ctbly compact
 - are Lindelöf, 372
- cube, 269
- Cz, 247, 783
- decomposition
 - upper semicontinuous, 199
- decomposition map, 197
- decomposition of S , 197
- decomposition space, 197
 - by components, 458
 - zero-dimensional, 477
- dense subset, 72
 - cardinality, 99
- derived set, 57
- directed set, 289
- discrete metric, 21
- discrete topology, 39
- discrete uniformity, 677
- disjoint zero-sets, 520
- distance
 - a pt to closed set, 255
- distributive lattice, 752
- embedding, 127
- embedding theorem I, 168
- embedding theorem II, 270
- Embedding theorem III, 348
- equivalent bases, 94
- equivalent functions, 505
- equivalent topological sets, 39
- Euclidean topology, 37
- evaluation map, 168
- everywhere dense, 774
- extending a topology over a set, 46
- extension of a function, 496
- extremally disconnected, 480
 - characterization, 481
 - Stone space, 764
 - vs totally disconnected, 483
- feebly compact, 390
 - are countably compact, 393
 - characterization, 390
 - implies pseudocompact, 397
 - vs countably compact, 393
- fibre, 618

- of a continuous function is a zero-set, 247
- fibre of an element under a map, 191
- filter, 311, 748
 - closed subsets, 321
 - continuous functions, 322
 - derived from a net, 316
 - fixed, 312
 - free, 312
 - proper, 756
- filter base, 311
 - accumulation point, 313
 - adherence, 313
 - convergence, 313
 - finer, coarser, 324
 - generates, 312, 351
 - limit point, 313
- finer topology, 39
- finite intersection property, 339
- first category, 773
- first countable, 96
 - metrizable spaces, 97
 - radial plane not, 98
 - second countable are, 96
 - under open function, 130
- fixed point, 452
 - Brouwer's fixed point, 452
- Fréchet space, 211
- free union, 52
 - disjoint union topology, 52
 - example, 53
- Freudenthal compactification, 636
 - $\beta\mathbb{N}$ is, 646
- G-delta's closed, 252
- Glicksberg's theorem, 588
- Hausdorff
 - carried over by 1-1 closed function, 216
 - carries over to products, 216
 - characterizations, 215
 - cofinite topology is T_2 , 214
 - completely, 219
 - hereditary, 216
 - not completely Hausdorff, 219
- Hausdorff space, 214
- Heine-Borel theorem (generalized), 15
- hereditary topological property, 101
- Hewitt-Nachbin realcompactification, 603
- Hilbert space, 13
- Holder's inequality, 652
- Holder's inequality, $C[a, b]$, 664
- homeomorphic topological spaces, 126
- homeomorphism, 126
 - characterizations, 127
- ideal, 351
 - maximal, 351
 - properties, 352
- identification map, 197
- identity map not continuous, 125
- identity of indiscernibles, 20
- indiscernibility of identicals, 20
- indiscrete topology, 39
- infinity norm, 10
- inner product, 1
- interior of a set, 63
- interior operator axioms, 65
- interior point, 63
- interior properties, 64
- interior viewed as an operator, 65
- irrationals
 - not locally compact, 413
- irrationals are separable, 103
- irrationals
 - is realcompact, 606
- Kolmogorov space, 209
- Kuratowski closure operator, 60
- lattice, 741
 - complete, 742
 - filter, 748
 - ultrafilter, 749

- lattice from a partial order, 706
- least compactification, 716
- limit point, 23
- limit point of a sequence, 281
- limit point of a set, 281
- limits, 10
- limits in metric space, 22
- Lindelöf, 371
 - characterizations, 373
- Lindelöf
 - carried over by continuous functions, 377
 - hereditarily closed, 377
 - regular implies normal, 378
 - second countable implies Lindelöf, 372
 - are realcompact, 605
 - compact spaces are, 372
 - ctbly compact are, 372
 - iff σ -compact, 419
 - is realcompact, 605
 - zero-dimensional, 478
- local connectedness, 459
- locally compact, 408
 - $+T_2 \Rightarrow$ compl. reg., 418
 - \mathbb{Q} is not, 413
 - completely regular, 418
 - dense subsets, 412
 - finite products are, 415
 - hereditary properties, 410
 - image under open continuous function, 413
 - neighborhood base, 409
 - one point compactification, 417
 - arbitrary products, 415
 - iff S has 1-pt comp, 510
 - open in all compactifications, 511
- Locally connected
 - components that are open, 461
- locally connected
 - characterization, 461
 - products, 462
- locally finite, 136, 390, 723
 - σ -locally finite, 435
- locally finite family of sets, 425
- lower limit topology, 92
- maximal filter, 324
- metric
 - $\rho(x, F)$, 58
 - compact is complete, 387
 - derived from a norm, 26
 - separable is realcompact, 606
 - uniform on prod, 151
- metric axioms, 20
- metric space, 20
 - closed sets are zero-sets, 255
 - closed subsets of, 255
 - compact, 30
 - compact \Leftrightarrow complete totally bounded, 388
 - countable product of, 720
 - is perfectly normal, 258
- metric subspace, 22
- metric uniformity, 683
- metrizable
 - characterization, 731
 - hereditary, 102
 - lemma, 724
 - lemma one, 725
 - lemma two, 727
 - with separable, 722
- metrizable, 37
 - $[0, \omega_1]$ is not, 259
 - $\beta\mathbb{N}$ not, 526
 - σ -locally finite subcover, 436
 - does not imply locally compact, 413
 - metrizable separable is hereditary, 103
 - a space which is not, 260
 - and paracompact, 439
 - closed subsets = zero-sets, 255
 - closed subsets are C^* -emb., 524
 - countable product, 720

- implies completely regular, 244
 - implies normal, 229
 - is regular, 222
 - pseudocompact, 578
- metrizable space
 - is Hausdorff, 214
- metrizable spaces
 - are first countable, 97
- Metrization theorem, 721
- Minkowski inequality, 9
- Minkowski's inequality, $C[a, b]$, 664
- Mobius strip, 203
- Moore plane, 86, 88
 - completely regular, 261
 - is regular, 225
 - not normal, 262
 - not paracompact, 434
 - topology is stronger than usual, 88
- Nagata and Smirnov, 731
- neighborhood base, 79
- neighborhood base at x , 79, 80
- neighborhood of x with respect to τ , 79
- neighborhood system of x with respect to τ , 79
- net generated by a filter, 317
- nets, 290
 - accumulation point, 290
 - convergence, 290
 - limit point, 290
 - subnets, 294
 - ultranet, 330
- Niemytzki's tangent disc topology, 88
- Niemytzki's topology, 86
- non-Borel set, 70
- non-metrizable
 - $[0, \omega_1)$, 369
 - $[0, 1]^{[0,1]}$, 387
 - $\beta\mathbb{N}$, 526
 - Sorgenfrey line, 377
- norm, 2
 - ℓ_p , 648
 - ℓ_∞ , 660
- norm axioms, 7
- normal
 - F closed $\Rightarrow F$ C -emb., 249, 250
 - F closed $\Rightarrow F$ C^* -emb., 249, 250
 - and second ctble \Rightarrow perfectly, 257
 - characterizations, 249, 250
 - closed subset C -emb., 588
 - compact $+T_2 \Rightarrow$, 342
 - completely, 264
 - perfectly, 257
 - subspace of normal spaces, 233
- normal spaces, 227
 - characterizations, 228
 - closed G -delta's, 252
 - metrizable implies normal, 229
 - not perfectly normal, 258, 259, 266
 - properties, 230
- normed topological space, 37
- norms, 7
- nowhere dense, 72, 773
- number of finite subsets of \mathbb{N} , 157, 392
- one point compactification, 511
 - unique, 511
- one-point compactification, 416
- one-to-one fcn, 124
 - f^\leftarrow cts iff f open, 126
 - open iff closed, 124
- open ball, 25
- open base for a topology, 82
- open cover, 338
- open function, 124
 - iff closed if 1-1, 124
- open subsets, 24
- ordinal
 - first uncountable ordinal, 105
- ordinal space, 105, 366
 - interval topology, 105
 - is normal, 231

- ordinal space compactification, 515
- outgrowth, 492, 530, 532
- p-point, 581
- paracompact
 - \mathbb{R} is, 428
 - and metrizable space, 439, 441
 - Tychonoff plank (deleted) not, 434
- paracompact space, 427
 - compact spaces are paracompact, 427
 - hereditarily closed, 433
 - if Hausdorff, are normal, 429
 - characterization, 431
- partial order of $C(S)$, 135
- partially ordered set, 135
- partition of $[0, 1]$, 393
- Pasting lemma, 136
- path, 465
 - direction, 465
 - initial point, 465
 - terminal point, 465
- pathwise connected, 465
 - components, 470
 - components may be clopen, 471
 - equivalent to connected, 472
 - implies connected, 465
 - invariant over products, 468
 - invariant with continuity, 467
 - open subsets of \mathbb{R}^n , 472
 - unions, 469
- perfect compactification, 639
 - $\beta\mathbb{N}$ is, 646
 - characterization, 644
- perfect function, 618
 - $g \circ f$ perfect, 632
 - and singular map, 627
 - characterization, 623
 - composition, 628
 - maps regular to regular, 628
 - restriction to closed set, 628
- perfect projection maps, 631
- perfect space, 178
 - perfectly normal, 257
 - characterization, 258, 260
 - implies completely normal, 265
 - metric spaces are, 258
 - second countable normal space is, 257
 - pointwise convergence, 304
 - power set, 39
 - prod. of discrete spaces
 - need not be discrete, 457
 - product topology, 94, 147
 - base for product topology, 149
 - closure, 154
 - convergence of functions, 303
 - embedding of each factor, 163
 - homeo. factors form homeo. prod., 162
 - interior, 154
 - product space, 147
 - second countable, 156
 - separable, 157
 - products associative, 183
 - products commutative, 180
 - projection map, 145
 - case where closed, 347
 - is open, 148
 - proper filter, 749
 - pseudocompact, 398
 - $[0, \omega_1)$ is, 399
 - $\beta S = \nu S$, 604
 - $f^\beta[\beta S \setminus S] \subseteq f[S]$, 521
 - but not compact, 399
 - characterization, 520, 578, 587, 588
 - cpl reg iff $Z(f^\beta) \not\subseteq \beta S \setminus S$, 520
 - if cpl reg = feebly cpct, 399
 - if not cpct not realcompact, 605
 - iff cpl reg l.f. impl. fin, 587
 - iff cpl reg every z -uf = real z -uf, 604
 - iff every C -emb'd subs of S is cpct, 612
 - iff no C -emb copy of \mathbb{N} , 578

- implies c' ntble zero-set is cpct, 612
- is not hereditary, 406
- locally finite, 588
- metrizable, 578
- not $\Rightarrow \beta S \setminus S$ contains zero-set, 521
- not feeble compact, 402
- pulls back, 118
- quotient map
 - when is it open, 191
- quotient set, 192
- quotient topology
 - quotient map, 188
 - quotient space, 188
 - recognizing a, 189
- radial plane, 88
 - not first countable, 98
 - not first ctble, 98
- rationals
 - not locally compact, 413
- real z -ultrafilter, 596
- real points of f , 594
- realcompact, 594
 - $\beta S \setminus S$ is F -space, 791
 - \mathbb{J} is, 606
 - \mathbb{N} is, 606
 - \mathbb{Q} is, 606
 - \mathbb{R} is, 600
 - σ -compact are, 606
 - vS , 594
 - vS is, 602
 - characterization, 596, 609
 - closed subspace, 608
 - closed under intersections, 607
 - closed under intersections of, 607
 - closed under products, 607
 - cozeros, 611
 - deleted Tychonoff plank is not, 614
 - every subspace of \mathbb{R}^n is, 606
 - iff σ -compact
 - for l.c. sp., 606
 - Lindelöf spaces are, 605
 - separable metric space is, 606
- realcompactification, 603
- reals
 - first countable, 97
 - metrizable, 97
 - normal, 229
 - second ctble, 97
 - separable, 73
- regular, 220
- regular closed subsets, 74
- regular open, 223, 745
 - properties, 74
 - Boolean, 755
- regular open set
 - complete lattice, 746
- regular open sets
 - generate a topology, 107
- regular open subsets, 73
- regular space, 220
 - are hereditary, 222
 - is completely Hausdorff, 224
 - is semiregular, 223
 - carries over products, 224
 - Hausdorff and not regular, 221
 - metrizable implies regular, 222
- regular spaces
 - characterizations, 221
 - regular is Hausdorff, 221
- relation, 675
 - symmetric, 676
- relative topology, 43
- remainder of αS , 492
- retraction, 540
 - retract, 540
- ring
 - subring, 707
- ring $C(S)$, 135
- ring $C_b(S)$, 705
- scattered line, 94

- second category, 774
- second countable, 96
 - \mathbb{R} is, 97
 - \mathbb{R} with usual topology, 98
 - compact iff c.c. iff seq. c, 381
 - compact iff countably compact, 367
 - hereditary, 102
 - implies first countable, 96
 - implies separable, 99
 - Lindelof, 372
 - metriz. plus separable are, 100
 - products, 156
 - under open fcn, 130
- second countable normal
 - implies perfectly, 257
- semiregular
 - assumed to be Hausdorff, 223
 - does not imply completely Hausdorff, 224
 - implication chart, 224
 - regular implies, 223
- semiregular space, 108
- semiregularization of S , 108
- separable
 - $F(\mathbb{N}, S)$, 656
 - continuous image of, 129
 - metric is realcompact, 606
 - outgrowth of \mathbb{N} is not, 526
 - plus metrizable are sec. ctble, 100
 - products of, 157
 - second countable implies, 99
- separable space, 73
- separated
 - completely, 241
 - if and only if, 241
- separates A and B , 236
- separates points and closed sets, 168
 - also see Completely sep. pts + cl.sets, 168
- sequence, 281
- sequence p -norm, 648
- sequentially compact, 381
 - $\beta\mathbb{N}$ is not, 387, 528
 - continuous image of, 384
 - in second countable spaces, 381
 - implies countably compact, 383
 - is ctably compact, 384
- sequentially continuous, 285
- sigma compact, 419
- singular compactification, 539
 - βS , 567, 584
 - equivalent, 556
 - property, 542
 - retract, 541, 567, 584
- singular function, 538
 - if it's closed, 547
- singular set, 539
 - characterization, 546, 553
 - is closed, 539
 - lemma, 554
- Sorgenfrey line, 93
 - is first countable, 97
 - is Lindelöf, 376
 - is normal, 378
 - is not locally compact, 421
 - is not metrizable, 101
 - is not second countable, 97
 - is separable, 97
 - is totally disconnected, 456, 473
 - is zero-dimensional, 109
- standard uniformity on \mathbb{R} , 682
- stationary set, 640
 - maximal, 640
 - connected, 642
- Stone representation theorem, 770
- Stone space, 763
 - extremally disconnected, 479, 764
- Stone space is zero-dim. and compact, 767
- Stone space property, 769
- Stone-Čech
 - T subset of S , 524
- Stone-Weierstrass theorem, 709
- stronger topology, 39

- subalgebra, 505
- subalgebra of $C^*(S)$, 506
- subbase for the topology τ , 90
- subbase theorem, 91
- subcover, finite, 338
- subnet, 294
- subring, 351
 - complete, 712
- subsequence, 283
- subsets of \mathbb{N} , 392
- subspace metric, 22
- subspace topology, 43
- sup norm, 9
- sup norm on $C^*(S)$, 10
- sup-norm, 660
- sup-norm, $C[a, b]$, 664
- supremum, 9
- symmetric relation, 676

- Tietze's theorem, 588, 589
- topological invariant, 128
- topological property, 128
 - Cauchy sequence is not, 128
- topological space, 35
 - induced by a metric, 36
- Topologizing a set S by using a closure operator, 60
- Topologizing as set S by using an interior operator, 66
- topology induced by a metric, 37
- totally bounded, 388
- totally disconnected, 459, 473
 - T_1 zero-dimensional are, 474
 - product, 473
 - subspace, 477
 - zero-dimensional, 476
- triangle inequality, 5
- two-point compactification of \mathbb{R} , 492
- Tychonoff corksrew, 243
- Tychonoff plank, 167
 - deleted, 167
 - deleted is not normal, 232
- Tychonoff plank (deleted)
 - not paracompact, 434
- Tychonoff theorem, 344

- ultrafilter, 324, 749
 - every filter is contained in, 326
 - characterizations, 325
 - of zero-sets, 350
- uniform
 - metric, 151
- uniform continuity, 700
 - implies continuity, 702
 - isomorphic, 702
- uniform convergence, 304, 305
- uniform limit, 11
- uniform metric, 150
 - on a product, 150, 151
- uniform norm, 9, 10
- uniform space
 - regular, 699
- uniform topology, 685
 - closure, 689
 - neighborhood base, 688
 - on a product, 150
 - T_3 , 699
- uniform topology on a product, 151
- uniformity, 676
 - and products, 694
 - base, 678, 682, 696
 - base characterization, 679
 - base of symmetric sets, 680
 - closure, 689, 697, 698
 - diagonal, 676
 - discrete, 677
 - interior, 686
 - metric, 683
 - property, 677
 - topology generated by, 684
 - usual on \mathbb{R} , 682
- upper limit topology, 92
- upper semicontinuous thm., 200
- Urysohn separating function
 - separates closed sets, 241

- Urysohn separating function for two
 - closed sets, 241
- Urysohn's lemma, 238
- usual topology on \mathbb{R} , 37
- usual uniformity on \mathbb{R} , 682

- weak topology induced by functions,
 - 132
- weaker topology, 39
- well-ordered set, 103

- Zariski topology, 42
- zero dimensional, 109
 - if T_1 is regular, 226
- zero-dimensional
 - plus T_1 is tot. disconn., 474
- zero-set, 247
 - closed G-delta in normal sp., 252
 - countable intersection, 248
 - G-delta need not be, 252
 - in metric closed sets are, 255
 - is a G_δ , 247